# BRZR Daily observation Quality Control for 2022/05/27 30s plots

ARANZADI (Department of Applied Geodesy)

Prepared on 2022-05-29 16:33:07

# 1 Tracked satellites

- Satellite sky tracks (azimuth-elevation plot)

2 Standard Positioning

- Standard positioning

- Standard positioning

3 Observations

- Number of observed satellites per signals

- Observation availability at horizon [colours] vs. user elevation mask [black]

- Distribution of observations w.r.t. elevation angle

- Epochs [%]: all/usable [black/color] and excluded code/phase epochs [below]

- Number of satellite observations excluded with single-frequency only [code/phase]

- Phase cycle slips/interruptions due to epoch [grey], satellite [white], signal [black]

- Code multipath at selected bands

4 Signal to Noise Ratio (SNR)

- Signal-to-noise ratio

3

5   Code multipath

6   Tracked signals

7 Plots for each Satellite and System

- GPSS5Q - Signal-to-noise ratio

- GPSS2S - Signal-to-noise ratio

- GPSS2W - Signal-to-noise ratio

- GPSS1C - Signal-to-noise ratio

- GLOS2C - Signal-to-noise ratio

- GLOS1C - Signal-to-noise ratio

- GLOS2P - Signal-to-noise ratio

- GALS8Q - Signal-to-noise ratio

- GALS7Q - Signal-to-noise ratio

- GALS5Q - Signal-to-noise ratio

- GALS1C - Signal-to-noise ratio

- BDSS2P - Signal-to-noise ratio

- BDSS2I - Signal-to-noise ratio

- GPSM2W - Code multipath moving RMS

- GPSM5Q - Code multipath moving RMS

- GPSM2S - Code multipath moving RMS

- GPSM1C - Code multipath moving RMS

- GALM7Q - Code multipath moving RMS

- GALM8Q - Code multipath moving RMS

- GALM1C - Code multipath moving RMS

- GALM5Q - Code multipath moving RMS

- BDSM7I - Code multipath moving RMS